HIGH BRIGHTNESS PROFESSIONAL MONITOR RANGE (32", 42", 47", 55" & 65")



SUNLIGHT READABLE

Brightness is paramount when using outward facing screens, these displays use commercial grade Ultra High Brightness panels (1500 cd/m2); more than 3 times brighter than a standard home TV to allow easy readability in direct sunlight.





COMMERCIAL GRADE PANEL AND COMPONENTS

Fitted with a commercial grade panel, with a lifespan of 50,000 hours, and using high quality components ensures that this display can be in constant use 24/7.

ENVIRONMENTALLY FRIENDLY POWER TIMER

This allows for reduced power usage by automatically powering off in hours that the displays are not required. You can set daily On/Off times for your displays.





BUILT-IN ANDROID MEDIA PLAYER

As well as having AV inputs, these displays also have a built-in HD Android media player allowing you to run content copied from a USB drive. Load your pictures and videos onto a USB memory stick then insert it into the display, the screen will then start playing the pictures and videos in a continuous loop.

ADVANCED TEMPERATURE CONTROL SYSTEM

The internal air-conditioning system allows the screens to be in constant use in an outward facing window. Internal fans keep the panel and other internal components at the optimum working temperature; ensuring a long and reliable life for your screens.





BUILT-IN SPEAKERS

The display has two integrated slimline speakers for applications that involve an audio element.





HIGH BRIGHTNESS PROFESSIONAL MONITOR RANGE (32", 42", 47", 55" & 65")

FULL SPECIFICATION:

		High Brightnes	s Professional M	onitor Range			
Panel	Display Size	32 Inch	42 Inch	47 Inch	55 Inch	65 Inch	
	Resolution	1366x768	1920x1080				
	Pixel Pitch	0.51075x0.51075	0.4845x0.4845	0.54x0.54	0.63x0.21	0.744x0.744	
	Display Area (mm)	699x392.8	936x527	1041x583	1214.6x685.4	1434x808	
	Aspect Ratio	16:9					
	Brightness (cd/m2)	1500					
	Colour	16.	7M	1.06B 16.7M			
	Viewing Angle	178°					
	Contrast Ratio	4000:1	3000:1		5000:1		
Audio	Speaker Type	2x2W, 4Ω					
AV Inputs	Video	HDMI, VGA					
	Audio	Audio Socket (3.5mm)					
Power	Power Consumption (W)	180	230	300	340	420	
	Input Voltage	AC110~240V (50Hz~60Hz)					
Mechanical	Unit Size (WxHxD mm)	764x454x91	987x580x83	1103.6x647.6x95	1275.6x746.4x109	1518x888x116	
	VESA Holes (mm)	400x200 400x400		400x400 400x500 600x400		600x400	
	Working Temperature	0 °C to 50 °C					
Feature	Internal Media Player	Media Formats					
		Media Resolution	1920x1080/1080x1920				
		Internal 6GB					
		CPU Duel-Core Cortex-A9 @1.6GHz					
		GPU Mali-400 MP4 @400MHz					
		RAM 1GB DDR3					
		ROM 8GB NAND					
		USB USB2.0 HOST (x2)					
		LAN	LAN 10/100M Ethernet (Network version screen only)				
		Wi-Fi	802.11b/g/n (Network version screen only)				
		OS	OS Android 4.2.2				
		Graphic Engine OpenGL ES 1.1/2.0, OpenVG 1.1					
	Special	Images, Videos, Audio, Scrolling Text Message, On/Off Timer, On Screen Clock, Media Rotation					
Accessories	Included	Wall Mount, Scheduling Software, Remote Control, Key, User Manual					
	Optional	Network Upgrade, Touch Screen Upgrade, Special Wall Mount, Floor Stand/Trolley, Ceiling Mount, Table Stand					